

AFFIRMATION OF BOARD VOTING RECORD

SUBJECT: Amendment by Chairman Hamilton to YELLOW FOLDER Doc#2019-100-012, Device Assembly Facility Seismic Hazard

Doc Control#: 2019-100-0012A

The Board acted on the above document on 03/06/2019. The document was Approved.

The votes were recorded as:

	APRVD	DISAPRVD	ABSTAIN	NOT PARTICIPATING	COMMENT	DATE
Bruce Hamilton	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	03/06/2019
Jessie H. Roberson	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	03/06/2019
Daniel J. Santos	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	03/06/2019
Joyce L. Connery	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	03/06/2019

This Record contains a summary of voting on this matter together with the individual vote sheets, views and comments of the Board Members.

Cameron Shelton

Executive Secretary to the Board

Attachments:

1. Voting Summary
2. Board Member Vote Sheets

DEFENSE NUCLEAR FACILITIES SAFETY BOARD

NOTATIONAL VOTE RESPONSE SHEET

FROM: Bruce Hamilton

SUBJECT: Amendment by Chairman Hamilton to YELLOW FOLDER Doc#2019-100-012, Device Assembly Facility Seismic Hazard

Doc Control#: 2019-100-0012A

DATE: 03/06/2019

VOTE: Approved

COMMENTS:

[REDACTED]

That said, the language of this Amendment is not objectionable, and it is a compromise which deletes an unwarranted reporting requirement.

I therefore approve.

Bruce Hamilton

DEFENSE NUCLEAR FACILITIES SAFETY BOARD

NOTATIONAL VOTE RESPONSE SHEET

FROM: Jessie H. Roberson

SUBJECT: Amendment by Chairman Hamilton to YELLOW FOLDER Doc#2019-100-012, Device Assembly Facility Seismic Hazard

Doc Control#: 2019-100-0012A

DATE: 03/06/2019

VOTE: Approved

Member voted by email.

COMMENTS:

None

Jessie H. Roberson

DEFENSE NUCLEAR FACILITIES SAFETY BOARD
NOTATIONAL VOTE RESPONSE SHEET

FROM: Daniel J. Santos

SUBJECT: Amendment by Chairman Hamilton to YELLOW FOLDER Doc#2019-100-012, Device Assembly Facility Seismic Hazard

Doc Control#2019-100-012A

Approved **Disapproved** _____ **Abstain** _____

Recusal – Not Participating _____

COMMENTS: **Below** _____ **Attached** _____ **None**



Daniel J. Santos

3/6/19

Date

DEFENSE NUCLEAR FACILITIES SAFETY BOARD

NOTATIONAL VOTE RESPONSE SHEET

FROM: Joyce L. Connery

SUBJECT: Amendment by Chairman Hamilton to YELLOW FOLDER Doc#2019-100-012, Device Assembly Facility Seismic Hazard

Doc Control#: 2019-100-0012A

DATE: 03/06/2019

VOTE: Approved

COMMENTS:

I concur with this amendment because, as written, the reporting requirement asked for a briefing regarding the seismic hazard and its consequences. I don't think a briefing would provide the staff with the information it needs to make any further judgements on the safety. If there is a desire to strongly advise the Secretary to conduct an SSI analysis or take other specific action, we should just state that.

Joyce L. Connery